


Miira Pendant Light

LAMPCOZY.STORE

SUPPORT@LAMPCOZY.STORE





DESCRIPTION


Comprising mouth-blown glass spheres and a stylish processed metal structure, the Miira Pendant Light design exudes balance and depth. The optic clear glass version, with its unique embossed pattern, brings a playful light and atmosphere to the room, while the opal glass version has an inherent sense of warmth.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	ML-132-1
Fixture Dimensions	D 5.9" x H 13.8"
Light source	E14 (bulb not included).
Wattage	MAX 15W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold, Black.
Shade Details	White, Clear.
Material	Metal, Iron, Glass.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.

SPECIFICATION SHEET




DESCRIPTION

Comprising mouth-blown glass spheres and a stylish processed metal structure, the Miira Pendant Light design exudes balance and depth. The optic clear glass version, with its unique embossed pattern, brings a playful light and atmosphere to the room, while the opal glass version has an inherent sense of warmth.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	ML-132-7
Fixture Dimmensions	D 7.9" x H 59"
Light source	G9 (bulb not included).
Wattage	MAX 5W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold, Black.
Shade Details	White, Clear.
Material	Metal, Iron, Glass.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.




DESCRIPTION

Comprising mouth-blown glass spheres and a stylish processed metal structure, the Miira Pendant Light design exudes balance and depth. The optic clear glass version, with its unique embossed pattern, brings a playful light and atmosphere to the room, while the opal glass version has an inherent sense of warmth.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	ML-132-13
Fixture Dimmensions	D 13.8" x H 16.9"
Light source	G9 (bulb not included).
Wattage	MAX 5W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold, Black.
Shade Details	White, Clear.
Material	Metal, Iron, Glass.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.




DESCRIPTION

Comprising mouth-blown glass spheres and a stylish processed metal structure, the Miira Pendant Light design exudes balance and depth. The optic clear glass version, with its unique embossed pattern, brings a playful light and atmosphere to the room, while the opal glass version has an inherent sense of warmth.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	ML-132-19
Fixture Dimensions	D 11.8" x H 16.9"
Light source	G9 (bulb not included).
Wattage	MAX 5W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold, Black.
Shade Details	White, Clear.
Material	Metal, Iron, Glass.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.



DESCRIPTION

Comprising mouth-blown glass spheres and a stylish processed metal structure, the Miira Pendant Light design exudes balance and depth. The optic clear glass version, with its unique embossed pattern, brings a playful light and atmosphere to the room, while the opal glass version has an inherent sense of warmth.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	ML-132-25
Fixture Dimensions	D 23.6" x H 78.7"
Light source	G9 (bulb not included).
Wattage	MAX 5W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold, Black.
Shade Details	White, Clear.
Material	Metal, Iron, Glass.
Wire Length	The standard length of the suspended wire is 59 "(150 cm) and the length is adjustable.