


Gingko Chandelier G

LAMPCOZY.STORE

SUPPORT@LAMPCOZY.STORE





DESCRIPTION


Inspired by the beauty of an ancient material, the Carrara collection aims to showcase the magical translucency of this precious stone. Light flows into Alabaster shapes creating an ethereal glow.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202207091555-01
Fixture Dimensions	L 39.4" x H 15.7"
Light source	G9. (bulb not included).
Wattage	~ 5W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold.
Shade Details	White.
Material	Metal, Iron, Ceramics
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION


Inspired by the beauty of an ancient material, the Carrara collection aims to showcase the magical translucency of this precious stone. Light flows into Alabaster shapes creating an ethereal glow.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202207091555-02
Fixture Dimensions	L 47.2" x H 17.7"
Light source	G9. (bulb not included).
Wattage	~ 5W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold.
Shade Details	White.
Material	Metal, Iron, Ceramics
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION


Inspired by the beauty of an ancient material, the Carrara collection aims to showcase the magical translucency of this precious stone. Light flows into Alabaster shapes creating an ethereal glow.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202207091555-03
Fixture Dimensions	L 51.1" x H 17.7"
Light source	G9. (bulb not included).
Wattage	~ 5W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold.
Shade Details	White.
Material	Metal, Iron, Ceramics
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION


Inspired by the beauty of an ancient material, the Carrara collection aims to showcase the magical translucency of this precious stone. Light flows into Alabaster shapes creating an ethereal glow.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202207091555-04
Fixture Dimensions	L 59" x H 19.7"
Light source	G9. (bulb not included).
Wattage	~ 5W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold.
Shade Details	White.
Material	Metal, Iron, Ceramics
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.





DESCRIPTION

Inspired by the beauty of an ancient material, the Carrara collection aims to showcase the magical translucency of this precious stone. Light flows into Alabaster shapes creating an ethereal glow.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202207091555-05
Fixture Dimensions	L 63" x H 21.7"
Light source	G9. (bulb not included).
Wattage	~ 5W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Mounting	Hardwired.
Dimming	Compatible with dimmable bulbs (bulb not included)
Control method	Compatible with common wall switches(not included)
Finishes	Gold.
Shade Details	White.
Material	Metal, Iron, Ceramics
Wire Length	The standard length of the cord is 59" (150 cm), the length is adjustable.
Warranty	2 Years
Certification	UL, CE, CCC, ETL, SAA.

