


Pebble Pendant Lamp

LAMPCOZY.STORE

SUPPORT@LAMPCOZY.STORE





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 11.9" x H 11.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	D 13.8" x H 15.7"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.7"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 11.9" x H 11.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 11.9" x H 11.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 11.9" x H 11.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 11.9" x H 11.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	D 11.9" x H 11.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 11.9" x H 11.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 11.9" x H 11.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimmensions	D 11.9" x H 11.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION


The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 13.8" x H 15.8"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.





DESCRIPTION

The Pebble series celebrates the inexplicable and beautiful qualities of stones. Enhancing their simple yet sculptural form through translucency, glass blown shapes come create a seemingly bespoke fixture—endlessly evolving in shape as it appears from different angles.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 11.9" x H 11.9"
Light source	Integrated LED
Wattage	~5 W
Voltage	AC 110-240V
Color Temperature	3000K
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	Yes
Optional Color Temps	Warm Light (3000K), Neutral Light (4500K), Cool Light (6000K)
LED Rated Life	30000 hours
Dimming	Dimming is not supported
Finishes	Amber, Blue, Smoky gray, White.
Material	Metal, Glass
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 yaers
Certification	UL, CE, CCC,ETL, SAA.

