


Stratos LED Chandelier

LAMPCOZY.STORE

SUPPORT@LAMPCOZY.STORE






DESCRIPTION

The overlapping panes of gently curved glass instantly define the Stratos LED chandelier for us. The collection of slumped transparent or frosted glass combines to create a shade that surrounds a smoothly diffused, all within an ultra-slim profile.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	ML-209-1
Fixture Dimensions	D 23.6" x H 7.9"
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Black
Shadow Details	Black
Material	Glass, Metal




DESCRIPTION

The overlapping panes of gently curved glass instantly define the Stratos LED chandelier for us. The collection of slumped transparent or frosted glass combines to create a shade that surrounds a smoothly diffused, all within an ultra-slim profile.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	ML-209-3
Fixture Dimensions	D 31.5" x H 7.9"
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches(not included)
Finishes	Black
Shadow Details	Black
Material	Glass, Metal



DESCRIPTION

The overlapping panes of gently curved glass instantly define the Stratos LED chandelier for us. The collection of slumped transparent or frosted glass combines to create a shade that surrounds a smoothly diffused, all within an ultra-slim profile.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SKU	ML-209-5
Fixture Dimensions	D 39.4" x H 7.9"
Light source	Integrated LED
Wattage	~ 5W
Voltage	AC 110-240V
Dimming	Not supported
CRI(Ra)	90+ CRI
Mounting	Hardwired.
LED Rated Life	30000 hours
Color Temperature	Warm Light (3000K), Neutral Light (4000K), Cool Light (6000K)
Control method	Compatible with common wall switches (not included)
Finishes	Black
Shadow Details	Black
Material	Glass, Metal