


Parallel Ring LED Chandelier

LAMPCOZY.STORE

SUPPORT@LAMPCOZY.STORE






DESCRIPTION

Artisanal luxury is paired with contemporary design in the Parallel Ring LED Chandelier. Its ringed silhouette consists of parallel handcrafted, textured acrylic panels that are joined by finished brass inserts. These brass inserts contain integrated LEDs that sit flush behind Frosted acrylic diffusers, pointed both down and sideways for a dazzling display once lit.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 25.6" x H 2"
Light source	Integrated LED
Wattage	~32W
Voltage	AC 110-240V
Color Temperature	3000k
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	NO
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	30000hours
Dimming	Dimming is not supported
Finishes	Brass
Shade Details	Clear
Material	Brass, Acrylic
Wire Length	39.4"
Wire Type	White Coaxial Wire
Warranty	2 Years




DESCRIPTION

Artisanal luxury is paired with contemporary design in the Parallel Ring LED Chandelier. Its ringed silhouette consists of parallel handcrafted, textured acrylic panels that are joined by finished brass inserts. These brass inserts contain integrated LEDs that sit flush behind Frosted acrylic diffusers, pointed both down and sideways for a dazzling display once lit.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 31.5" x H 2"
Light source	Integrated LED
Wattage	~32W
Voltage	AC 110-240V
Color Temperature	3000k
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	NO
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	30000hours
Dimming	Dimming is not supported
Finishes	Brass
Shade Details	Clear
Material	Brass, Acrylic
Wire Length	39.4"
Wire Type	White Coaxial Wire
Warranty	2 Years



DESCRIPTION


Artisanal luxury is paired with contemporary design in the Parallel Ring LED Chandelier. Its ringed silhouette consists of parallel handcrafted, textured acrylic panels that are joined by finished brass inserts. These brass inserts contain integrated LEDs that sit flush behind Frosted acrylic diffusers, pointed both down and sideways for a dazzling display once lit.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 25.6" + D 31.5" x H 59"
Light source	Integrated LED
Wattage	~32W
Voltage	AC 110-240V
Color Temperature	3000k
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	NO
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	30000hours
Dimming	Dimming is not supported
Finishes	Brass
Shade Details	Clear
Material	Brass, Acrylic
Wire Length	39.4"
Wire Type	White Coaxial Wire
Warranty	2 Years

SPECIFICATION SHEET



DESCRIPTION

Artisanal luxury is paired with contemporary design in the Parallel Ring LED Chandelier. Its ringed silhouette consists of parallel handcrafted, textured acrylic panels that are joined by finished brass inserts. These brass inserts contain integrated LEDs that sit flush behind Frosted acrylic diffusers, pointed both down and sideways for a dazzling display once lit.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	L 33.5" x W 9.8" x H 2"
Light source	Integrated LED
Wattage	~32W
Voltage	AC 110-240V
Color Temperature	3000k
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	NO
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	30000hours
Dimming	Dimming is not supported
Finishes	Brass
Shade Details	Clear
Material	Brass, Acrylic
Wire Length	39.4"
Wire Type	White Coaxial Wire
Warranty	2 Years