


Parallel LED Chandelier

LAMPCOZY.STORE

SUPPORT@LAMPCOZY.STORE





DESCRIPTION


Artisanal luxury is paired with contemporary design in the Parallel Ring LED Chandelier. Its ringed silhouette consists of parallel handcrafted, textured acrylic panels that are joined by finished brass inserts.

These brass inserts contain integrated LEDs that sit flush behind Frosted acrylic diffusers, pointed both down and sideways for a dazzling display once lit.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 17.7" x H 2"
Light source	Integral LED
Wattage	10W
Voltage	AC 110-240V
Color Temperature	Based on the purchase of light bulbs
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	YES
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	Based on bulb life (we do not supply bulbs)
Dimming	Dimming is not supported
Finishes	Gold
Shade Details	Clear
Material	Aluminium, Acrylic
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 Years



DESCRIPTION


Artisanal luxury is paired with contemporary design in the Parallel Ring LED Chandelier. Its ringed silhouette consists of parallel handcrafted, textured acrylic panels that are joined by finished brass inserts.

These brass inserts contain integrated LEDs that sit flush behind frosted acrylic diffusers, pointed both down and sideways for a dazzling display once lit.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 23.6" x H 2"
Light source	Integral LED
Wattage	10W
Voltage	AC 110-240V
Color Temperature	Based on the purchase of light bulbs
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	YES
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	Based on bulb life (we do not supply bulbs)
Dimming	Dimming is not supported
Finishes	Gold
Shade Details	Clear
Material	Aluminium, Acrylic
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 Years



DESCRIPTION


Artisanal luxury is paired with contemporary design in the Parallel Ring LED Chandelier. Its ringed silhouette consists of parallel handcrafted, textured acrylic panels that are joined by finished brass inserts.

These brass inserts contain integrated LEDs that sit flush behind Frosted acrylic diffusers, pointed both down and sideways for a dazzling display once lit.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 31.5" x H 2"
Light source	Integral LED
Wattage	10W
Voltage	AC 110-240V
Color Temperature	Based on the purchase of light bulbs
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	YES
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	Based on bulb life (we do not supply bulbs)
Dimming	Dimming is not supported
Finishes	Gold
Shade Details	Clear
Material	Aluminium, Acrylic
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 Years



DESCRIPTION


Artisanal luxury is paired with contemporary design in the Parallel Ring LED Chandelier. Its ringed silhouette consists of parallel handcrafted, textured acrylic panels that are joined by finished brass inserts.

These brass inserts contain integrated LEDs that sit flush behind Frosted acrylic diffusers, pointed both down and sideways for a dazzling display once lit.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 31.5" x H 11.8"
Light source	Integral LED
Wattage	10W
Voltage	AC 110-240V
Color Temperature	Based on the purchase of light bulbs
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	YES
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	Based on bulb life (we do not supply bulbs)
Dimming	Dimming is not supported
Finishes	Gold
Shade Details	Clear
Material	Aluminium, Acrylic
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 Years



DESCRIPTION

Artisanal luxury is paired with contemporary design in the Parallel Ring LED Chandelier. Its ringed silhouette consists of parallel handcrafted, textured acrylic panels that are joined by finished brass inserts.

These brass inserts contain integrated LEDs that sit flush behind Frosted acrylic diffusers, pointed both down and sideways for a dazzling display once lit.

SPECIFICATION DETAILS

*For custom options, consult factory for details

Fixture Dimensions	D 31.5" x H 17.7"
Light source	Integral LED
Wattage	10W
Voltage	AC 110-240V
Color Temperature	Based on the purchase of light bulbs
CRI(Ra)	80CRI
Mounting	Ceiling
Driver Required	YES
Optional Color Temps	Warm White (3000K), Cool White (6000K), Daylight (4000K)
LED Rated Life	Based on bulb life (we do not supply bulbs)
Dimming	Dimming is not supported
Finishes	Gold
Shade Details	Clear
Material	Aluminium, Acrylic
Wire Length	59"
Wire Type	Black Coaxial Wire
Warranty	2 Years