


Bubble Swag Lights

LAMPCOZY.STORE

SUPPORT@LAMPCOZY.STORE






DESCRIPTION

The lightweight steel wireframe of the Bubble Pendant ensures its shape is kept even when under tension, and in this particular piece a network of interconnected steel wires produces a delightful geometric crisscross pattern. Hang the Bubble Pendant in a cluster to create a delicate ambient glow in your interior.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202212052033-01
Fixture Dimmensions	D 15.7" x H 8.7", D 19.7" x H 9.8"
Light source	E26 or E27 (bulb not included).
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Finishes	White.
Shade Details	White.
Material	Polymer, Steel wire.
Wire Length	The standard length of the cord is 180" (457 cm), the length is adjustable.
Warranty	2 Years
Certification	Compatible with North America, Saudi Arabia, Europe, Australia Certification




DESCRIPTION

The lightweight steel wireframe of the Bubble Pendant ensures its shape is kept even when under tension, and in this particular piece a network of interconnected steel wires produces a delightful geometric crisscross pattern. Hang the Bubble Pendant in a cluster to create a delicate ambient glow in your interior.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202212052033-021
Fixture Dimensions	D 15.7" x H 8.7", D 19.7" x H 8.7"
Light source	E26 or E27 (bulb not included).
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Finishes	White.
Shade Details	White.
Material	Polymer, Steel wire.
Wire Length	The standard length of the cord is 180" (457 cm), the length is adjustable.
Warranty	2 Years
Certification	Compatible with North America, Saudi Arabia, Europe, Australia Certification




DESCRIPTION

The lightweight steel wireframe of the Bubble Pendant ensures its shape is kept even when under tension, and in this particular piece a network of interconnected steel wires produces a delightful geometric crisscross pattern. Hang the Bubble Pendant in a cluster to create a delicate ambient glow in your interior.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202212052033-033
Fixture Dimmensions	D 7.9" x H 15.7"
Light source	E26 or E27 (bulb not included).
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Finishes	White.
Shade Details	White.
Material	Polymer, Steel wire.
Wire Length	The standard length of the cord is 180" (457 cm), the length is adjustable.
Warranty	2 Years
Certification	Compatible with North America, Saudi Arabia, Europe, Australia Certification




DESCRIPTION

The lightweight steel wireframe of the Bubble Pendant ensures its shape is kept even when under tension, and in this particular piece a network of interconnected steel wires produces a delightful geometric crisscross pattern. Hang the Bubble Pendant in a cluster to create a delicate ambient glow in your interior.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202212052033-041
Fixture Dimmensions	D 11.8" x H 11" , D 15.7" x H 14.2"
Light source	E26 or E27 (bulb not included).
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Finishes	White.
Shade Details	White.
Material	Polymer, Steel wire.
Wire Length	The standard length of the cord is 180" (457 cm), the length is adjustable.
Warranty	2 Years
Certification	Compatible with North America, Saudi Arabia, Europe, Australia Certification




DESCRIPTION

The lightweight steel wireframe of the Bubble Pendant ensures its shape is kept even when under tension, and in this particular piece a network of interconnected steel wires produces a delightful geometric crisscross pattern. Hang the Bubble Pendant in a cluster to create a delicate ambient glow in your interior.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202212052033-057
Fixture Dimmensions	D 17.7" x H 14.6"
Light source	E26 or E27 (bulb not included).
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Finishes	White.
Shade Details	White.
Material	Polymer, Steel wire.
Wire Length	The standard length of the cord is 180" (457 cm), the length is adjustable.
Warranty	2 Years
Certification	Compatible with North America, Saudi Arabia, Europe, Australia Certification



DESCRIPTION

The lightweight steel wireframe of the Bubble Pendant ensures its shape is kept even when under tension, and in this particular piece a network of interconnected steel wires produces a delightful geometric crisscross pattern. Hang the Bubble Pendant in a cluster to create a delicate ambient glow in your interior.

SPECIFICATION DETAILS

*For custom options, consult factory for details

SUK	VK202212052033-061
Fixture Dimmensions	D 19.7" x H 14.6"
Light source	E26 or E27 (bulb not included).
Wattage	MAX 40W incandescent bulb or LED equivalent.
Voltage	AC 110-240V
Finishes	White.
Shade Details	White.
Material	Polymer, Steel wire.
Wire Length	The standard length of the cord is 180" (457 cm), the length is adjustable.
Warranty	2 Years
Certification	Compatible with North America, Saudi Arabia, Europe, Australia Certification